eCall™ User Guide

Fileformats Logfiles

V1.2 2014-02-17

Copyright © 2013, Dolphin Systems AG, Wollerau

Dolphin Systems AG ◦ Informieren und Alarmieren
Samstagernstrasse 45 ◦ CH-8832 Wollerau ◦ Phone +41 44 787 30 70 ◦ Fax +41 44 787 30 71 ◦ info@dolphin.ch ◦ www.dolphin.ch

eCall™ User Guide **1**

1 Description of the OUT-Logfile **4**

2 Fielddefinitions (OUT) **4**

3 Description of the IN-Logfile **5**

4 Fielddefinitions (IN) **5**

1 Description of the OUT-Logfile

You will receive the logfile as a compressed text file in ZIP format.
If no messages have been sent, it will be noted in the logfile accordingly.

Example of a text file:
8005961;30.07.09 16:01:46;Testmessage;8;test@dolphin.ch;079402xxxx;;1;John Doe;
8026104;31.07.09 10:44:33;Testmessage;8;test@dolphin.ch;079402xxxx;;1;John Doe;

2 Fielddefinitions (OUT)

The fields are separated by a semicolon.

Field 1: Message reference
Reference number from the eCall system

Field 2: Transmission start date
Point in time of transmission

Field 3: Message (optional)
Receiver notification
NOTE: On request the notification can be suppressed in the logfile

Field 4: Result code
Codes for the message send status:

0	=>	Sending (SMS message)
1	=>	Sending OK (SMS message; successfully fed into network)
2	=>	Error, request was not forwarded (SMS message)
8	=>	Request successfully sent (SMS message)
9	=>	Request awaiting extradition (SMS message)
10	=>	Request could not be extradited (SMS message)
33	=>	Request successfully sent without confirmation (voice message)
35	=>	Error, request was not forwarded (voice message)
36	=>	Request successfully sent with confirmation (voice message)
41	=>	Request successfully sent (fax message)
42	=>	Request could not be extradited (fax mesage)

Field 5: Sender
Determines the originator of a message, which was posted via e-mail

Field 6: Receiver
Determines the message receiver

Field 7: External ID
Shows the external ID of the originator if available

Field 8: Points
Shows the used points for this request

Field 9: Receiver name
Shows the name of the receiver, if known to eCall (address book, group).

3 Description of the IN-Logfile

You will receive the logfile as a compressed text file in ZIP format.
If no messages have been sent, it will be noted in the logfile accordingly.

Example of a text file:
8005965;17.12.08 14:23:33;Testmessage;Test;2;079402xxxx;079402xxxx;test@dolphin.ch; John Doe;;0;
8005966;17.12.08 14:23:33;Testmessage;Test;2;079402xxxx;079402xxxx;test@dolphin.ch; John Doe;;0;

4 Fielddefinitions (IN)

The fields are separated by a semicolon.

Field 1: Message reference
Reference number from the eCall system

Field 2: Receipt start date
Point in time of receipt

Field 3: Sent message (optional)
Receiver notification
NOTE: On request the sent message can be suppressed in the logfile

Field 4: Received message (optional)
Receiver answer
NOTE: On request the received message can be suppressed in the logfile

Field 5: Result code
Codes for the message receive status:

1	=>	Waiting for reply
2	=>	Reply received
3	=>	Waiting time expired
4	=>	SMS reply to eCall not possible
5	=>	SMS received
6	=>	Fax received
7	=>	Fax error on receipt

Field 6: Send address
Receiver address

Field 7: eCall address
Address used by eCall

Field 8: Reply address
Address to which the reply is sent

Field 9: Reply information
Information, which will be handed over with the reply

Field 10: External ID
Shows the external ID of the originator if available

Field 11: Points
Shows the used points for this request